

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.


**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

Searching by Document Number

** Result [Utility-model] ** Format(P801) 07.Jan.2004 1/ 1

Application no/date: 1983- 10993[1983/01/31]
Date of request for examination: [1986/04/02]
Public disclosure no/date: 1984-117895[1984/08/09]
Examined publication no/date (old law): []
Registration no/date: []
Examined publication date (present law): []
PCT application no
PCT publication no/date []
Applicant: MITSUBISHI HEAVY IND LTD
Inventor: OTA MASARU
IPC: F04C 29/08 F04C 18/02
FI: F04C 18/02 ,311G F04C 29/10 ,311A
F-term: 3H029AA02,AA17,AB03,BB52,CC01,CC38,CC56,CC73,3H039AA02,AA12,BB22,
CC25,CC35
Expanded classification: 241,242
Fixed keyword: R134
Citation:
Title of invention: Rotary fluid machinery
Abstract:

SUMMARY:It makes shape memory alloys shrink by a sink gas temperature when refrigerating capacity occurred more than required about rotary fluid machinery having a pair of whirlpool body or when cooling load lightened, and stationary side disk is moved to a direction opposite to turning side disk, it is missed, and inhalation sides can decrease in refrigerating capacity in part of the gas which is being compressed.
(Machine Translation)



⑪ Int. Cl.³
F 04 C 29/08
18/02

識別記号

庁内整理番号
7018-3H
8210-3H

⑬ 公開 昭和59年(1984)8月9日

審査請求 未請求

(全 2 頁)

⑭ 回転式流体機械

香地三菱重工業株式会社名古屋
研究所内

⑯ 実 願 昭58-10993

⑰ 出 願 人 三菱重工業株式会社

⑱ 出 願 昭58(1983)1月31日

東京都千代田区丸の内2丁目5

⑲ 考 案 者 太田優

番1号

名古屋市中村区岩塚町字高道1

⑳ 復 代 理 人 弁理士 岡本重文 外2名

㉑ 実用新案登録請求の範囲


一対のスクロール部材を有する回転式流体機械において、前記各スクロール部材のうち一方のスクロール部材を所定温度になると変形する形状記憶合金製押圧材を介して他方のスクロール部材の方向に押圧するとともに同押圧材に温度変化を与える手段を設けたことを特徴とする回転式流体機械。

図面の簡単な説明


第1図は従来の自転式流体機械の原理説明図、第2図は従来の自転式流体機械の具体例を示す縦断側面図、第3図は第2図矢視Ⅲ-Ⅲ線に沿う縦断正面図、第4図は本案に係る回転式流体機械の一実施例を示す縦断側面図である。

24、25…スクロール部材、50…押圧材。


第1図




第2図



第4図



第3図



ROTARY TYPE FLUID MACHINE

Filed: January 31, 1983
Appl. No.: S58-10993
Applicant: Mitsubishi Heavy Industries
Publ. No.: S59-117895
Int. Cl.: F04C 29/08, 18/02
Publ. Date: August 9, 1984 (Utility Model)

Claim:

In a rotary type fluid machine including a pair of scroll members, one of the scroll members is pressed to the other member by a member made by form-memorizing alloy which will be deformed at a certain temperature, and a means to provide change of temperature to the pressing member is arranged in the fluid machine.

Brief Description of the Drawings:

Figure 1 shows the principle of scroll type rotating fluid machine, and Figure 2 shows a sectional view of an embodiment of this machine. Figure 3 shows a sectional view along III-III line in Figure 2. Figure 4 shows an embodiment of a fluid machine according to this invention.

In the figures are shown scroll members (24) (25), and pressing a member (50).